

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	55	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 13:48
S2	26	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:42
S3	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S4	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S5	209	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S6	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S7	201	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:53

S8	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:54
S9	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S10	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S11	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2008/07/28 17:18
S12	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/29 11:16
S13	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S14	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S15	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55
S16	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55

S17	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:56
S18	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:00
S19	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:01
S20	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 ) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:11
S25	31	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:11
S26	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:13
S27	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14
S28	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14

S29	290	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:32
S30	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 22:28
S31	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 09:00
S32	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:00
S33	98	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S34	67	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S35	17	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S36	2541	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
S37	3994	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
S38	6475	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09

S39	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S40	0	S36 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S41	1	S37 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S42	0	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
S43	17	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
S44	0	S36 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S45	0	S37 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S46	0	S38 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11

S47	67	((creat\$4 or generat\$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
S48	3	S38 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S49	0	S37 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
S50	0	S36 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:12
S51	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:46
S52	0	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:35
S53	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S54	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36

S55	0	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S56	1	(conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:36
S57	61	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S58	27	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S59	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S60	1	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S61	212	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S62	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S63	207	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S64	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S65	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S66	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S67	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S68	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S69	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S70	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40



S71	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S72	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S73	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S74	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S75	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S76	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 ) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S77	32	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S78	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S79	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S80	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S81	298	(range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S82	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S83	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S84	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S85	115	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S86	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S87	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S88	2905	707/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S89	4616	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S90	7470	707/102.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S91	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S92	0	S88 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S93	1	S89 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S94	0	S90 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S95	22	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S96	0	S88 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40

S97	0	S89 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S98	0	S90 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S99	78	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2009/03/25 08:40
S100	3	S90 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S101	1	S89 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S102	0	S88 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S103	2	"7152062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 08:40
S104	10	(authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 09:23

3/ 25/ 2009 4:26:41 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10727184a.wsp